

Serial No. 09/646,852, filed Sept. 22, 2000  
Docket No. 1103326-0636  
Page 2 of 11

### **AMENDMENT TO THE CLAIMS**

**This listing of claims will replace all prior versions, and listings, of claims in the application:**

Claim 1 (currently amended) A delayed release oral pharmaceutical dosage form comprising a core material coated with a semipermeable membrane, wherein:

the core material comprises an active ingredient selected from the group consisting of omeprazole, an alkaline salt of omeprazole [thereof], *S*-omeprazole and an alkaline salt of *S*-omeprazole [thereof], one or more alkalizing agents [alkaline additives], one or more swelling agents, and optionally pharmaceutically acceptable excipients;

the membrane consists [essentially] of a water-insoluble polymer and a modifying agent and is able to disrupt; and

the dosage form is not enteric coated,

wherein the modifying agent and water insoluble polymer are present in a weight ratio of from 90:10 to 50:50, and wherein the alkalizing agent is an alkaline additive present in an amount of approximately 10 to 35% by weight of the core material excluding the weight of an optional starter seed.

Claim 2 (cancelled)

Claim 3 (previously presented) The dosage form according to claim 1, wherein the active ingredient is omeprazole.

Claim 4 (previously presented) The dosage form according to claim 1, wherein the active ingredient is a magnesium salt of omeprazole having a crystallinity of more than 70% as determined by X-ray powder diffraction.

Claim 5 (previously presented) The dosage form according to claim 1, wherein the active ingredient is a magnesium salt of *S*-omeprazole.

Serial No. 09/646,852, filed Sept. 22, 2000

Docket No. 1103326-0636

Page 3 of 11

- Claim 6 (currently amended) The dosage form according to claim 1, wherein the core material comprises a starter seed [sugar sphere] layered with a suspension or solution of the active ingredient, one or more alkalizing agents [alkaline additives], one or more swelling agents and optionally pharmaceutically acceptable excipients.
- Claim 7 (previously presented) The dosage form according to claim 1, wherein the dosage form comprises individual pellets of the core material coated with the semipermeable membrane.
- Claim 8 (previously presented) The dosage form according to claim 1, wherein the core material further comprises an osmotic agent.
- Claim 9 (previously presented) The dosage form according to claim 1, wherein the alkaline additive gives a pH of not less than 8.5 when measured in a 2% w/w water solution/dispersion with a pH-measuring electrode.
- Claim 10 (previously presented) The dosage form according to claim 9, wherein the alkaline additive is selected from the group consisting of disodium hydrogen phosphate, trisodium phosphate, arginine and talc.
- Claim 11 (canceled)
- Claim 12 (currently amended) The dosage form according to claim 1, wherein the alkaline additive is present in an amount of 15 to 35% by weight of the core material excluding the weight of an optional starter seed [sugar sphere].
- Claim 13 (previously presented) The dosage form according to claim 1, wherein the swelling agent is selected from the group consisting of crosslinked polyvinyl pyrrolidone, crosslinked sodium carboxymethylcellulose, sodium starch glycolate and low-substituted hydroxypropyl cellulose (L-HPC).

Serial No. 09/646,852, filed Sept. 22, 2000

Docket No. 1103326-0636

Page 4 of 11

Claim 14 (currently amended) The dosage form according to claim 1, wherein the swelling agent is present in an amount of approximately 20 to 60% by weight of the core material excluding the weight of an optional starter seed [sugar sphere].

Claim 15 (currently amended) The dosage form according to claim 1, wherein the swelling agent is present in an amount of 30 to 50% by weight of the core material excluding the weight of an optional starter seed [sugar sphere].

Claim 16 (previously presented) The dosage form according to claim 1, wherein the modifying agent is talc or fumed silica.

Claim 17 (previously presented) The dosage form according to claim 1, wherein the water insoluble polymer is selected from the group consisting of ethylcellulose, cellulose acetate, polyvinyl acetate, and ammonio methacrylate copolymer type A and type B.

Claim 18 (previously presented) The dosage form according to claim 1, wherein the water insoluble polymer is present in an amount of approximately 3-30% by weight of the core material.

Claim 19 (canceled)

Claim 20 (currently amended) A process for the manufacture of a delayed release dosage form as defined in claim 1, comprising forming the [a] core material ~~comprising an active ingredient selected from the group consisting of omeprazole, an alkaline salt thereof, S-omeprazole and an alkaline salt thereof, one or more alkaline additives, one or more swelling agents, and optionally pharmaceutically acceptable excipients,~~ and coating the core material with a semipermeable membrane, wherein the dosage form has no enteric coating.

Claim 21 (canceled)

Claim 22 (canceled)

Serial No. 09/646,852, filed Sept. 22, 2000

Docket No. 1103326-0636

Page 5 of 11

Claim 23 (currently amended) A method for improving inhibition of gastric acid secretion which comprises administering to a patient in need thereof, a delayed release oral pharmaceutical dosage form according to any one of claims 1, 3-10, 12-18, [3-18 or 28 or 29].

Claim 24 (currently amended) A method for improving the therapeutic effect in the treatment of gastrointestinal disorders associated with excess acid secretion which comprises administering to a patient in need thereof, a delayed release oral pharmaceutical dosage form according to any one of claims 1, 3-10, 12-18, [3-18 or 28 or 29].

Claim 25 (currently amended) A delayed release oral dosage form according to any one of claims 1, 3-10, 12-18, [3-18 or] 28 or 29 filled in a capsule.

Claim 26 (currently amended) A delayed release oral dosage form according to any one of claims 1, 3-10, 12-18, [3-18 or] 28 or 29 compressed into a multiple unit tableted dosage form, optionally comprising tablet excipients.

Claim 27 (currently amended) The dosage form according to claim 12 or 13 ~~any one of claims 11-13~~, wherein the core material further comprises an osmotic agent.

Claim 28. (previously presented) The dosage form according to claim 1, wherein the modifying agent and water insoluble polymer are present in a weight ratio of from 80:20 to 60:40.

Claim 29 (new) The dosage form according to claim 1, wherein the starter seed is a sugar sphere.